EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|---|---------------------|---------|---------------------|
| L1 | 276 | (320/148).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:18 |
| L2 | 23 | L1 and (detect\$4 monitor \$4 sens\$4 measur\$4 determin\$4) with (capacitor) with voltage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/11/29 19:19 |
| L3 | 2 | L1 and (detect\$4 monitor \$4 sens\$4 measur\$4 determin\$4) with (capacitor) with voltage with (max maximum threshold limit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/11/29 19:19 |
| L6 | 1272 | (320/134).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:23 |
| L7 | 1057 | (320/137).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:23 |
| L8 | 276 | (320/148).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:24 |
| L9 | 451 | (320/160).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:24 |
| L10 | 469 | (320/135).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:24 |

| L11 | 873 | (320/166).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:25 |
|-----|------|-----------------|---|----|-----|---------------------|
| L12 | 132 | (320/167).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:25 |
| L13 | 1007 | (320/101).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:28 |
| L14 | 110 | (320/129).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:29 |
| L15 | 992 | (320/136).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:29 |
| L16 | 301 | (320/138).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:30 |
| L17 | 313 | (320/139).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:31 |
| L18 | 336 | (320/149).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:31 |
| L19 | 451 | (320/160).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:32 |
| L20 | 124 | (320/161).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:32 |

| L21 | 995 | (320/162).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/11/29 19:33 |
|------------|-------|--|---|----|-----|---------------------|
| S1 | 204 | (320/124).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2007/08/12 23:26 |
| S2 | 30 | S1 and (detect\$4 determin \$4 measur\$4 monitor\$4 sens\$4) with capacity | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2007/08/12 21:43 |
| S3 | 681 | (320/134).COLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2007/08/12 22:36 |
| S4 | 200 | S3 and (detect\$4 determin \$4 measur\$4 monitor\$4 sens\$4) with capacity | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2007/08/12 22:37 |
| S5 | 649 | (320/136).COLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2007/08/12 22:36 |
| S6 | 180 | S5 and (detect\$4 determin \$4 measur\$4 monitor\$4 sens\$4) with capacity | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2007/08/12 22:37 |
| S7 | 8 | ("5124627" "5381350" "5412307" "5424722" "5479084" "5595345" "5627452").PN. OR ("6441587").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/12/10 10:52 |
| S 8 | 6 | (("20030117111") or ("5747967") or ("5811958")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/07/03 15:47 |
| S9 | 16758 | ("320").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/07/03 15:58 |

| S10 | 920 | S9 and (charg\$4 with capacitor) and (solar light photovoltaic) and ((detect \$4 monitor\$4 measur\$4 sens\$4) with voltage) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/03 16:02 |
|-----|-------|--|---|----|-----|---------------------|
| S11 | 513 | S9 and ((charg\$4 and dis \$charg\$4) with capacitor) and (solar light photovoltaic) and ((detect \$4 monitor\$4 measur\$4 sens\$4) with voltage) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/03 16:16 |
| S12 | 249 | S9 and ((charg\$4 and dis \$charg\$4) with capacitor) and ((solar light photovoltaic) with charg \$4) and ((detect\$4 monitor \$4 measur\$4 sens\$4) with voltage) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/03 16:17 |
| S13 | 14 | S12 and (back\$up) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/03 16:37 |
| S14 | 26 | (US-20030057918-\$ or US-20010040443-\$ or US-20070222411-\$ or US-20030141846-\$ or US-20010043050-\$).did. or (US-5708349-\$ or US-5739672-\$ or US-5751134-\$ or US-5764031-\$ or US-6275009-\$ or US-6198254-\$ or US-6140928-\$ or US-6020718-\$ or US-5994878-\$ or US-5864220-\$ or US-5710505-\$ or US-5691621-\$ or US-5686815-\$ or US-6369576-\$ or US-6249126-\$ or US-5432429-\$ or US-6835491-\$ or US-6691049-\$ or US-6417648-\$ or US | US-PGPUB; USPAT | OR | OFF | 2008/07/03 |
| S15 | 10 | S14 and (solar photovoltaic light) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/03 16:38 |
| S16 | 16758 | ("320").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2008/07/04 14:37 |

| S17 | 537 | S16 and (charg\$4 with capacitor) and (solar light photovoltaic) and (((detect \$4 monitor\$4 measur\$4 sens\$4) with voltage) same capacitor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/04 14:37 |
|-----|-----|--|---|----|-----|---------------------|
| S18 | 113 | S16 and (charg\$4 with capacitor) and (solar photovolt\$4) and (((detect \$4 monitor\$4 measur\$4 sens\$4) with voltage) same capacitor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2008/07/04 14:44 |
| S19 | 696 | (320/101).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/09 17:27 |
| S20 | 8 | (("5747967") or ("5811958") or ("0685958") or ("20030117111")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/09 18:26 |
| S21 | 2 | ("6157165").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/09 18:43 |
| S22 | 699 | (320/166).COLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/09 18:53 |
| S23 | 277 | S22 and (step\$up boost\$3 increase) with voltage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 18:54 |
| S24 | 132 | S23 and (detect\$4 sens\$4 monitor\$4 measur\$4) with voltage with capacitor | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 18:58 |
| S25 | 88 | S22 and (step\$up boost \$3) with voltage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 19:08 |
| S26 | 42 | S25 and (detect\$4 sens\$4 monitor\$4 measur\$4) with voltage with capacitor | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 19:08 |

| S27 | 6 | S26 and (photovoltaic solar) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 19:16 |
|-----|-------|---|---|----|-----|---------------------|
| S28 | 33 | (US-20030057918-\$ or US-20010040443-\$ or US-20070222411-\$ or US-20030141846-\$ or US-20010043050-\$ or US-20020084767-\$ or US-20010011881-\$ or US-20050237032-\$).did. or (US-5708349-\$ or US-5739672-\$ or US-5751134-\$ or US-5764031-\$ or US-6275009-\$ or US-6198254-\$ or US-6140928-\$ or US-6020718-\$ or US-5994878-\$ or US-5864220-\$ or US-5710505-\$ or US-5691621-\$ or US-5686815-\$ or US-6369576-\$ or US-6249126-\$ or US-5432429-\$ or US-635491-\$ or US-6691049-\$ or US-6417648-\$ or US-6417648-\$ or US-6371067-\$ or US-5747967-\$ or US-5811958-\$ or US-6157165-\$).did. | US-PGPUB; USPAT | OR | PF | 2009/02/09 20:06 |
| S29 | 3 | S28 and (detect\$4 sens\$4 monitor\$4 measur\$4) with voltage with capacitor with (battery cell module) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 20:07 |
| S30 | 22 | S19 and (detect\$4 sens\$4 monitor\$4 measur\$4) with voltage with capacitor with (battery cell module) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 20:09 |
| S31 | 14 | S30 and (photovoltaic solar) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 20:10 |
| S32 | 17598 | ("320").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/09 20:14 |

| S33 | 525 | S32 and (detect\$4 sens\$4 monitor\$4 measur\$4) with voltage with capacitor with (battery cell module) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 20:14 |
|------|-----|---|---|----|-----|---------------------|
| S34 | 39 | S33 and (photovoltaic solar) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/09 20:15 |
| S35 | 60 | "5747967" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/04/22 12:24 |
| S36 | 8 | (("20030117111") or ("5747967") or ("5811958") or ("0685958")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/04/22 12:24 |
| S37 | 896 | (320/101).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/04/22 16:51 |
| S38 | 653 | S37 and (light solar photovoltaic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/04/22 16:51 |
| \$39 | 120 | S38 and (step\$up boost fly \$back buck\$boost DC\$DC) adj convert\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/04/22 16:56 |
| S40 | 80 | S39 and capacitor | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/04/22 17:00 |
| S41 | 15 | S40 and (detect\$4 monitor \$4 sens\$4 measur\$4) with voltage with capacitor | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/04/22 17:01 |

EAST Search History (Interference)

| Ref # Hits Search Query | DBs | Default Operator Plurals Time Stamp |
|-------------------------|-----|-------------------------------------|
| | | |
| | | |

| L4 | 0 | ((DC\$DC step\$up boost \$4) with voltage with (battery cell module) with (detect\$4 monitor \$4 sens\$4 measur\$4 determin\$4) with (capacitor) with voltage with (max maximum threshold limit) with (discharg\$4 with puls \$4)).clm. | USPAT; UPAD | OR | ON | 2010/11/29 19:21 |
|----|---|---|-------------|----|----|------------------|
| L5 | 2 | ((DC\$DC step\$up boost \$4) with voltage with (battery cell module) with (detect\$4 monitor \$4 sens\$4 measur\$4 determin\$4) with (capacitor) with voltage with (max maximum threshold limit)).clm. | USPAT; UPAD | OR | ON | 2010/11/29 19:21 |

11/29/2010 7:43:36 PM

C:\ Documents and Settings\ aboateng\ My Documents\ EAST\ Workspaces\ capacity charger 11053104.wsp